

North Shore marrying adventuring and beer drinking

By AC Shilton, Outside

After a long bike ride, it's natural that your mind shifts into beer mode—time to relax! In anticipation of that post-workout appetite, one of Lake Tahoe's tourism bureaus has commissioned an interactive map to help steer you from the trails to the nearest watering holes.

It's called the Ale Trail, and it's essentially a beer-drinking outdoorsman's dream itinerary planner: Pick an activity—hiking, road and mountain biking, and paddling are all included—choose a trail, and the Ale Trail Map will ensure there's a frosty pint somewhere near the finish.

To be clear, no new trails in North Lake Tahoe were blazed during the creation of the Ale Trail; it's simply an organization of trails that abut great bars, breweries, alehouses, and taverns. The map does, however, highlight some of Tahoe's lesser-known trails.

If you check out the map, you'll notice that most routes suggest an outdoor activity and then a single bar as a destination.

Read the whole story

Nevada strives to increase ag

footprint

By Megan Messerly, Las Vegas Sun

Food grows in unlikely places – sometimes in the middle of a desert.

Nevada had 4,137 farms and ranches in 2012, 1,000 more than in 2007. In 2014, the U.S. Department of Agriculture counted 4,200. Most are in the north, but 792 were in Southern Nevada.

State officials, chefs and many residents would like to see those numbers increase.

“When you look at food security, if the borders were sealed off for some reason, we have 2 percent food security,” Nevada Department of Agriculture Director Jim Barbee said, meaning that Nevada grows only 2 percent of the food needed to feed residents. The rest is trucked in from California and elsewhere.

Read the whole story

USDA not protecting consumers against salmonella

By Katharine Mieszkowski, Reveal

It looks like a humble black work boot with a filthy white sock over it. But it actually is a secret weapon in the fight against salmonella, a microscopic bacteria that can make people sick.

It's one of many things farmers in Denmark have started doing since surging human illnesses prompted the country to no longer tolerate the bacteria in its chicken. It's pretty simple: Danish farmers wear the socks over their boots when they're in chicken houses to gather samples of the bacteria in the chickens' poop.

If those socks test positive for salmonella, all the birds in that house are declared contaminated. The house must be thoroughly cleaned out after the chickens are killed. The meat can be offered to customers only if it is cooked before being sold.

The United States is far more tolerant of salmonella. There's no mandate to control it on the farms or hatcheries that raise chickens for slaughter. Limited testing is required only at the final step: the slaughterhouse. By that time, chickens already can be carrying the bacteria in their guts, its natural habitat. Or it can be on their feathers, feet or skin from their feces. It can spread from carcass to carcass during processing. While processors try to clean the bacteria off the skin and meat with chemicals, some often escapes removal.

That means that if you want to eat chicken in the U.S., salmonella is a risk you have to live with. It's one that's getting more prominent, too. Americans are eating more chicken than ever as they move away from red meat. Antibiotic-resistant strains of the bacteria can make it harder to combat. And it can be fatal.

After a 2013 outbreak linked to Foster Farms in California, *Reveal* and a number of other media organizations – including the *New Yorker*, the *Oregonian* and “Frontline” – have uncovered holes in our food safety system that allow people to get sick from our most popular meat.

Here's a list of what you should know before you eat your next chicken dinner.

1. It's legal to sell raw chicken that has bacteria on it that could kill you.

In the U.S., it's simply accepted that salmonella may be on the raw chicken we buy in the grocery store. In fact, about 25 percent of raw chicken pieces like breasts and legs are contaminated with the stuff, according to federal data.

Not all strains of salmonella make people sick. Cooking the raw meat can kill the bacteria that is dangerous, but you still can get sick if you don't handle it exactly right. There's a chance of contaminating the cutting board, the knife, the kitchen counter and the sink. Here's official guidance on how to deal with your chicken before it is your dinner.

If you do get sick, it can be a lot worse than a few days with an upset stomach. Salmonella can cause diarrhea so bad that it can lead to hospitalization. When illness is severe, infection can spread from the intestines into the bloodstream and to other places in the body. The illness can be truly gruesome. Without treatment with antibiotics, people can die.

Rick Schiller's infected leg swelled to twice its normal size, thanks to salmonella from Foster Farms chicken. His purple limb was filled with a "chunky, meatlike substance" that a doctor drained with a syringe. Noah Craten, an 18-month-old, had a persistent fever for nearly a month. Doctors eventually found abscesses on his brain, which they linked to a salmonella infection in his bloodstream.

2. Salmonella is the rare foodborne pathogen that is both common and potentially deadly.

Every year, about 48 million people in the U.S. get sick from foodborne illnesses, according to the Centers for Disease Control and Prevention. But not all pathogens are created equal. The *New Yorker* puts this well:

Many of the deadliest pathogens, such as E. coli and listeria, are comparatively rare; many of the most widespread, such as norovirus, are mercifully mild. Salmonella is both common and potentially lethal.

Salmonella sickens about 1 million Americans a year, and about 380 of them die, according to the CDC. No other foodborne pathogen causes more hospitalizations or deaths than salmonella.

About 200,000 of those illnesses come from poultry every year. Chicken is a common source for salmonella infection in people.

3. Even when processing plants meet federal standards, they can be the source of massive outbreaks.

When the Foster Farms outbreak occurred, the processing plants in question were easily meeting the federal salmonella standard, which allows 7.5 percent of whole chickens tested to be contaminated.

But that standard applies only to whole carcasses – not the cut-up pieces, such as breasts, wings and thighs that most shoppers buy. When birds are cut up, salmonella may be released from the skin. And birds can contaminate each other while they're being cut up and when the pieces are mixed together.

That helps explain why a processing plant could be meeting current federal regulations but still making lots of people sick. The standard also does not distinguish between strains of salmonella that are harmless to humans and those that are the most dangerous.

Currently, the government has standards for whole carcasses and ground chicken, not individual parts sold at supermarkets. New rules are in the works that would change this, but they likely won't be finalized until early next year. Plus, the proposed standard would represent only an improvement over the

current level of contamination of chicken parts – about 25 percent – by still allowing 15.4 percent of them to carry the bacteria.

4. There's no requirement to test chickens for salmonella where it spreads – on the farm.

The only regulation of salmonella in our chicken meat occurs at the slaughterhouse. But healthy birds can acquire and spread the bacteria to each other long before that. Most strains don't make them sick; the chickens are just carriers.

"We have such a convoluted food safety system in the United States," said Greg Gunthorp, who has a very small processing plant on his farm in Indiana where he slaughters chickens. He describes an imaginary line around his processing plant. Inside it, the U.S. Department of Agriculture's Food Safety and Inspection Service has "ultimate jurisdiction," but out on the pasture where the birds grow, "they couldn't come out here if they wanted to," he said.

Chickens can get salmonella from the breeding flocks that produce them. The chicks can pick it up at hatcheries, grow houses or pastures on farms where they fatten up. Any measures that producers take to control salmonella in those places are entirely voluntary.

USDA food safety inspectors have no authority to try to force breeders, hatcheries or growers to reduce or eliminate salmonella, no matter what the strain, even if it has been linked to an outbreak of human illness.

By failing to control salmonella at the source, even back to the breeding flocks, the bacteria is allowed to spread throughout the whole life cycle of the chicken. In the slaughterhouse, the bacteria gets on to the meat. Processors try to blast it off with chemicals to meet the federal standard, but that allows some meat to head out to consumers contaminated with salmonella.

5. Processing plants aren't shut down when they're cranking out contaminated birds.

In the midst of the Foster Farms outbreak, one of the plants in question was shut down – not for salmonella, but for cockroaches. After many months of reported illnesses, Foster Farms eventually did recall some chicken at the government's request. But that recall was voluntary.

The USDA cannot shut down poultry processing plants even when they have violated its salmonella standard year after year. That's because the government doesn't classify salmonella as what's known as an adulterant. It is instead treated as a normal part of chicken that's a potential hazard but can be destroyed by proper cooking.

The USDA tried to shut down a beef processing plant that was consistently failing its salmonella tests in the late '90s. But a 2001 court ruling found that the government couldn't do so because the bacteria wasn't an adulterant. Once something is considered an adulterant, it cannot be sold as food for human consumption unless it has been inactivated by cooking or some other process.

6. Efforts to reform the system have been opposed by the industry and failed.

So why not decree salmonella an adulterant? The USDA did so with *E. coli* 0157:H7 in ground beef after a 1993 outbreak at Jack in the Box restaurants killed four children and sickened hundreds of other people.

But testifying at a congressional hearing last year, Agriculture Secretary Tom Vilsack said his agency does not have the authority to declare salmonella an adulterant, even for antibiotic-resistant strains like those implicated in the Foster Farms outbreak.

Members of Congress, such as Rep. Rosa DeLauro, D-Conn., have

disputed that interpretation of the law. DeLauro told Vilsack at the hearing that the agency should ask Congress for more authority if it lacks it. Today, she says there's been no such request from the USDA.

DeLauro argues that the USDA doesn't want to take on the food industry on this issue because the agency has too many conflicting priorities.

"I have advocated for many, many years a single food safety agency, because the USDA – where trade always trumps food safety – they have too many missions," she said. "They have to sell a product, they have to market a product and then they have responsibility for food safety, which takes a secondary position."

If the agency were to declare any strains of salmonella an adulterant, it almost certainly would face a legal challenge from the industry. But it's worth noting that the USDA tangled in court with the beef industry over E. coli 0157:H7 in ground beef and won.

Consumer advocates and members of Congress have strongly advocated for at least some dangerous strains of salmonella to be labeled. The Center for Science in the Public Interest, a nonprofit advocacy organization, petitioned the USDA to declare four strains of antibiotic-resistant salmonella an adulterant, which would mean recalling meat and poultry when the pathogen is detected instead of waiting for human illness to strike. Earlier this year, DeLauro and Rep. Louise Slaughter, D-N.Y., introduced legislation that would require the USDA to recall meat and poultry contaminated with pathogens that are resistant to two or more antibiotics considered important for human medicine. But so far, neither of those efforts has gained traction.

Industry lobbyists have fought attempts to crack down on salmonella. They say the price of chicken would go up and

farmers would suffer if salmonella were labeled as an adulterant.

“If salmonella did become an adulterant, it has the possibility of wiping out about a third of the chicken supply in the U.S.,” said Ashley Peterson, senior vice president for science and technology for the National Chicken Council.

7. Avoiding industrial chicken by buying local isn't any safer.

Smaller isn't better when it comes to controlling salmonella at chicken processing plants, a Reveal analysis of more than nine years of USDA data shows. Samples taken from very small processing plants had higher rates of salmonella than those from small or large ones, records show. Samples from the largest plants had the lowest rates of contamination.

For some smaller plants, there's a trade-off between controlling salmonella and other values. Some purposefully avoid washing the carcasses with harsh chemicals such as chlorine after they've been processed. Being chlorine-free can be a selling point for some customers. Europe banned such chlorine treatment in the '90s out of fear that it could cause cancer, NPR reported.

Kadejan, a very small processing plant in Glenwood, Minn., processes about 7,000 birds a week without chlorine. Since 2008, Kadejan has shown up on the official list of plants failing to meet the USDA salmonella standard over and over again.

“The standard doesn't make a lot of sense in our opinion,” says Weston Gienger, who works in company operations for Kadejan. “We have never had any issues with anyone getting sick.”

8. Raising backyard chickens won't protect you, either.

You don't have to eat your chicken to get salmonella from it. As backyard chickens have become more popular, salmonella outbreaks from live poultry have risen, too.

When DeAnna and Dan Gabriele's 14-year-old son ended up in the hospital in 2013 with chest pain and a 103-degree fever, his parents say doctors suspected cancer. Fluid had built up around his heart and lungs. But the cause was salmonellosis – an infection from salmonella. It took the lacrosse and football player months to recover. The source of the infection: chicks from Mt. Healthy Hatcheries in Ohio. The Gabrieles had backyard chickens.

The Gabrieles' son didn't have to get sick. Although the family had no idea, the hatchery had been fighting a serious salmonella problem linked to hundreds of illnesses and two deaths in the previous two years.

But salmonella isn't regulated in hatcheries. So the Ohio hatchery went on selling chicks carrying the bacteria. The year the Gabrieles' son got sick, the hatchery was linked to 158 reported illnesses. The year after that, the problem continued, with 363 people known to have gotten sick in 43 states.

The CDC offers this advice on protecting yourself from illness if you have backyard poultry. Pro tip: Wash your hands – a lot.

9. Antibiotic-resistant strains of salmonella are on the rise.

Salmonella is an old problem, but it has gotten worse as antibiotic-resistant strains of the bacteria have developed.

The strains of salmonella Heidelberg involved in the Foster Farms outbreak were resistant to several commonly prescribed antibiotics, according to the CDC. The good news was that those antibiotics were not ones typically used to treat salmonella

blood infections or other severe infections from the bacteria.

Still, the agency noted that being infected with antibiotic-resistant bacteria can lead to increased risk of hospitalization. Nearly 40 percent of the patients known to have been sickened by the Foster Farms outbreak ended up in the hospital.

Resistance may spread across classes of drugs, rendering whole groups of them less-effective antidotes. It may require the use of more expensive drugs. In the worst-case scenario, it can make severe infections impossible to treat.

10. Other countries don't stand for salmonella the way we do.

Some European countries have taken a different approach to controlling salmonella in poultry – by reining it in long before the birds make it to the slaughterhouse. After a spike in salmonella infections from chickens in the '80s, Denmark managed to reduce salmonella in its chicken to almost nil. The country now goes years without a single reported illness from salmonella in its chicken meat.

The Danes have managed to control it in breeding flocks, going so far as to slaughter infected ones. In grow houses, farmers adhere to strict biosecurity controls, from hand-washing to changing their clothes frequently. They put on a different pair of coveralls and boots before entering each chicken house on the farm, so that if one house is contaminated, the bacteria won't be spread to the next.

And then there are the socks. Danish farmers put them over their boots to pick up chicken manure, so each flock's poop can be tested for salmonella. Birds from Danish flocks that test positive cannot be sold as raw meat in the supermarket. It must be cooked before it reaches consumers as sandwich meat or other ready-to-eat foods.

Back here in the U.S., chicken industry lobbyists say it's not

fair to compare our country with Denmark, which is much smaller and produces much less chicken. Also, the chicken meat there is more expensive: as much as almost double the average U.S. price at between \$4 and \$6 a pound.

It's not just Denmark that's taken on salmonella. Europe as a whole managed to cut its rate of salmonella infection dramatically in a five-year period, according to the European Food Safety Authority.

In the U.S., the rate of salmonella illness has been holding steady at around 15 reported cases per 100,000 people. But for every reported case, the CDC estimates there are 29 that go undiagnosed.

Sommelier touts pizza and Champagne pairing

By Megan Krigbaum, Food and Wine

Newly anointed Master Sommelier Jack Mason believes fervently that the world's greatest food and wine pairing is pizza and Champagne.

As wine director at New York City's Marta, Mason has created a stellar Champagne list to go with the restaurant's cracker-thin, Roman-style pizzas.

"Structurally, it just makes sense," says Mason. "The Champagne has bright acidity that's very refreshing. When you take a bite of pizza topped with salty cheese and a tangy red sauce, then have a sip of rosé Champagne, it's just explosive."

Read the whole story

Marketers deliver the world of make-believe food

By Andrew Martin, Bloomberg Businessweek

Log Cabin All Natural Table Syrup has no artificial flavors or colors, nor does it contain preservatives or high-fructose corn syrup. It's sold in a traditional jug similar to those used by many Vermont maple sugar makers, complete with a picture of a snow-covered log cabin on the label evoking the woods of the Green Mountain State.

But while Log Cabin All Natural Table Syrup may indeed be "natural" and "authentic," as the jug suggests, it isn't maple syrup, despite the best efforts of its marketers to suggest otherwise. (The top ingredients are brown rice syrup, water, and sugar.)

It's just one example of a marketing trend that's quickly transforming the nation's grocery aisles. Consumers are clamoring for food that's simple, less processed, and genuine. Companies are rushing to oblige them by reformulating products or labeling them in a way that evokes verdant farmland and authenticity.

Read the whole story

K's Kitchen: Muffins like a morning dessert

By Kathryn Reed

Eating these muffins for breakfast is almost like having carrot cake first thing in the morning.

Skip the cream cheese spread and the muffins are a whole lot healthier. Butter would suffice. And because they are so flavorful, there really is no need to add anything to them.

They are quick to assemble. Anyone who bakes is bound to have all of the ingredients on hand, so they can be whipped up spur of the moment.

Even cold a couple days after first baked they were still good.



Carrot Muffins

1 1/3 C water

1 1/3 C sugar

1/4 C butter

1 $\frac{1}{4}$ C shredded carrots

1 tsp kosher salt

1 tsp cinnamon

1 tsp allspice

$\frac{1}{4}$ tsp cloves

1 C all-purpose flour

1 C whole wheat flour

1 tsp baking powder

1 tsp baking soda

4 ounces cream cheese

1 T orange zest

Preheat oven to 375 degree. Put sugar, butter, carrots, and water in a medium saucepan. Stir occasionally until mixture comes to a boil.

Add dry ingredients together. Then gradually add warm carrot mixture to dry ingredients.

Once mixed, spoon batter into greased muffin cups.

Bake for about 15 minutes or until brown and toothpick comes out clean.

Combine cream cheese with orange zest and spread on muffins.

The science of Thanksgiving feasts

By Rachel Feltman, Washington Post

Thanksgiving is almost here, and Americans are preparing to knuckle down and stuff their faces, come what may. While the “average” calorie counts of Thanksgiving diners are often overblown, it’s safe to say that most people eat richer food – and more of it – than they would during a typical meal.

But what does this delicious, delicious debauchery do to your body?

Let’s start with the obvious: Eating a lot of food makes you feel full, and Thanksgiving is a day for getting stuffed.

As explained by the American Chemical Society video above, your stomach is pretty resilient. It can easily stretch to a bit over a liter in volume – about the size of a burrito. And according to the pathology reports of people whose stomachs have ruptured you can probably get about four times that much food in there before things get too dire. (Please don’t try that.)

[Read the whole story](#)

Diet study upends concepts about ‘healthy’ food

By Ariana Eunjung Cha, Washington Post

If you've ever tried out the latest diet fad only to find yourself gaining weight and feeling awful and wondered what you were doing wrong, scientists now have an explanation for you.

Israeli researchers, writing in the journal *Cell* last week, have found that different people's bodies respond to eating the same meal very differently – which means that a diet that may work wonders for your best friend may not have the same impact on you.

Lead authors Eran Segal and Eran Elinav of the Weizmann Institute of Science focused on one key component used in creating balanced diet plans like Atkins, Zone or South Beach. Known as the glycemic index or GI for short, it was developed decades ago as a measure of how certain foods impact blood sugar level and has been assumed to be a fixed number.

But it's not. It turns out that it varies widely depending on the individual.

Read the whole story

K's Kitchen: A festive hummus for the holidays

By Kathryn Reed

I keep wanting to like hummus. I finally found a recipe I really like. It is the added lemon that makes it better than the average concoction.

Eating pink food isn't always appetizing. If you can get over the color, the taste is great.

This would be a great dish to have at the holidays to give a little color to the table and be festive. Golden beets might work well for Thanksgiving – a little more fall-like.

It's also one dish than can be made up to a week ahead of time.

Turning on the oven for more than an hour just for one beet seems like a waste of energy. So, while the beet for the hummus was cooking I roasted other veggies for dinner. I have not tried cooking a beet in the microwave like you can do with potatoes. If it were to explode, that would be one mess I would not want to clean.



Roasted Beet Hummus

1 medium beet, roasted

1 can (15 ounces) chickpeas

$\frac{1}{4}$ C tahini

5 large garlic cloves

1 medium lemon – juice and zest

$\frac{1}{2}$ tsp Kosher salt

$\frac{1}{4}$ tsp pepper

1/8 C olive oil

Place beet in pan, bake at 400 degrees for at least an hour. It should be tender when a fork goes into it.

Let beet cool, then peel it. Puree in food processor or blender until smooth.

Add chickpeas and liquid, tahini, garlic, lemon zest and juice, salt, pepper. Blend.

Gradually add in oil to the consistency you like. Water can be added if it's too thick. Adjust seasonings.

Serve with veggies, crackers and/or pita chips.

Calif. olive oil industry ripe for expansion

By Robert Rodriguez, Fresno Bee

California's burgeoning olive oil industry is expected to have a record-breaking year in 2015 as demand and acreage continue to grow.

This year, the state's olive growers are estimated to churn out 4 million gallons of California extra virgin olive oil, nearly double the amount milled in 2014.

Much of the growth is coming from new, higher-yielding orchards that have been planted statewide, including in the central San Joaquin Valley. The region is now home to nearly a dozen companies crafting high-quality oils.

Even foreign growers have recognized California's potential.

Australia's largest olive oil company, Boundary Bend, opened its first U.S. facility earlier this year in Woodland and has plans to expand over the next several years.

Read the whole story